SAFETY DATA SHEET

CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME:...........WEST SYSTEM® 713 Episize™ Unidirectional Glass Tape, WEST SYSTEM 729 Episize™ Glass

Tape, WEST SYSTEM 731 Episize™ Glass Tape, WEST SYSTEM 732 Episize™ Glass Tape

and WEST SYSTEM 733 Episize™ Glass Tape. **APPLICABLE PRODUCT CODES:**713-50, 729, 729-10, 731, 732, 732-10 and 733

PRODUCT RESTRICTIONS: None identified.

SDS VERSION:713, 729, 731, 732 and 733-2022a

MANUFACTURER:

Gougeon Brothers, Inc. 100 Patterson Ave. Bay City, MI 48706, U.S.A.

Phone: 866-937-8797 or 989-684-7286

www.westsystem.com

EMERGENCY TELEPHONE NUMBERS (24 HRS):

Transportation

CHEMTREC:..... 800-424-9300 (U.S.) 703-527-3887 (International)

Non-transportation

Poison Hotline: 800-222-1222

HAZARDS IDENTIFICATION

Classification of Substance or Mixture

Hazards Not Otherwise Classified (HNOC)

Label Elements

Hazard Pictogram(s):

No data available

Signal Word:

WARNING

Hazard Statements:

No data available

Precautionary Statements:

No data available

Other Hazards:

As supplied, the glass fibers in this product are non-respirable. Continuous filament glass fibers that are chopped, crushed, sanded or otherwise mechanically processed may contain very small amounts of respirable particulate, some of which may be in the form of glass shards. Glass fragments or shards may cause temporary mechanical eye, skin and respiratory irritation and itching.

COMPOSITION/INFORMATION ON HAZARDOUS INGREDIENTS

INGREDIENT NAME	CAS#	CONCENTRATION (%)
Continuous filament, non-respirable, glass fiber	65997-17-3	80-100
Sizing	Trade Secret	1-5

The exact chemical identity and/or exact percentage (concentration) of each ingredient may be held as confidential business information (CBI). Any ingredient not disclosed in this section may have been determined not to be hazardous to health or the environment, or it may be present at a level below its disclosure threshold.

FIRST AID MEASURES

	SYMPTOMS: May cause mechanical irritation and redness. RESPONSE: ct lenses if present and easy to do. Consult a physician as precautionary
FIRST AID FOR SKINmechanical irritation. RESPONSE: Remove contaminated clothing.	SYMPTOMS: Skin contact with glass shards may cause temporary Wash, lather skin with soap and rinse with warm, flowing water.
FIRST AID FOR INHALATIONrespiratory irritation occurs. Consult a physician if irritation or cough	SYMPTOMS: Irritation and cough. RESPONSE: Remove to fresh air if develops and persists.
	SYMPTOMS: Not a likely route of exposure. No acute adverse health use. RESPONSE: Seek medical attention if a significant amount is ingested.

Last Revised: 03JAN22

EXTINGUISHING MEDIA:	SUITABLE: Foam, carbon dioxide (CO ₂), water, di			
FIRE AND EXPLOSION HAZARDS:combustible. During a fire, smoke may contain carbon monox undetermined composition and toxicity.		Fiberglass itself will not support combustion. Sizing and stitching may be arbon dioxide, hydrogen, and small amounts of other combustion products of		
SPECIAL FIRE FIGHTING PROCEDURES:protective equipment.		omplete full-body perso		
ACCIDENTAL RELEASE MEASURES				
EMERGENCY PROCEDURES:		m entering area. Use		
MITIGATION AND CLEAN UP PROCEDURES:or vacuum in a manner as to avoid generating additional airbo		ttle out of the air. Swee		
ENVIRONMENTAL PRECAUTIONS:				
HANDLING AND STORAGE				
STORAGE TEMPERATURE (min./max.):	Store at or below 25°C (77°F)			
STORAGE:generation. Store in environment with less than 65% relative		ng to avoid dust		
HANDLING PRECAUTIONS:				
thoroughly after handling. Launder contaminated clothing be	Avoid generating excessive airborne dust. Avoid skin and ore reuse. Avoid excessive inhalation of airborne dusts.	eye contact. Wash		
		eye contact. Wash		
thoroughly after handling. Launder contaminated clothing be	ore reuse. Avoid excessive inhalation of airborne dusts.	,		
thoroughly after handling. Launder contaminated clothing be EXPOSURE CONTROLS/PERSONAL PROTECTION ENGINEERING CONTROLS:	ore reuse. Avoid excessive inhalation of airborne dusts	ventilation to keep		
thoroughly after handling. Launder contaminated clothing be EXPOSURE CONTROLS/PERSONAL PROTECTION ENGINEERING CONTROLS:	ore reuse. Avoid excessive inhalation of airborne dusts.	ventilation to keep h goggles. skin areas. Consider		
EXPOSURE CONTROLS/PERSONAL PROTECTION ENGINEERING CONTROLS: exposures below established limits. EYE PROTECTION GUIDELINES: SKIN PROTECTION GUIDELINES:	were reuse. Avoid excessive inhalation of airborne dusts.	ventilation to keep h goggles. skin areas. Consider or glass shards. n-respirable. Continuo ounts of respirable ep exposures below specific workplace ts listed in Section 3 a		
EXPOSURE CONTROLS/PERSONAL PROTECTION ENGINEERING CONTROLS: exposures below established limits. EYE PROTECTION GUIDELINES: wearing a light-weight, full body-covering protective clothing to particulate, some of which may be in the form of glass shards established limits, use a NIOSH approved respirator with N95 conditions. Consult with your respirator supplier to ensure prospecific workplace conditions. Use and select a respirator according to the province of the conditions. Use and select a respirator according to the conditions.	when ventilation cannot be made adequate enough to ke or P100 particulate filter efficiency or better, depending on the guidelines established in OSHA 1910.134 or other cannot be guidelines established in OSHA 1910.134 or other cannot be made personal cleanliness to	h goggles. skin areas. Consider or glass shards. n-respirable. Continuo ounts of respirable ep exposures below specific workplace ts listed in Section 3 a er applicable respirato		
EXPOSURE CONTROLS/PERSONAL PROTECTION ENGINEERING CONTROLS: exposures below established limits. EYE PROTECTION GUIDELINES: wearing a light-weight, full body-covering protective clothing t RESPIRATORY PROTECTION GUIDELINES: filament glass fibers that are chopped, crushed, sanded or otle particulate, some of which may be in the form of glass shards established limits, use a NIOSH approved respirator with N95 conditions. Consult with your respirator supplier to ensure prospecific workplace conditions. Use and select a respirator accordance of the protection standard. ADDITIONAL PROTECTIVE MEASURES:	were reuse. Avoid excessive inhalation of airborne dusts.	h goggles. skin areas. Consider or glass shards. n-respirable. Continuo ounts of respirable ep exposures below specific workplace ts listed in Section 3 a er applicable respirato avoid inhalation and soduct as a whole. For		
EXPOSURE CONTROLS/PERSONAL PROTECTION ENGINEERING CONTROLS: exposures below established limits. EYE PROTECTION GUIDELINES: wearing a light-weight, full body-covering protective clothing to particulate, some of which may be in the form of glass shards established limits, use a NIOSH approved respirator with N95 conditions. Consult with your respirator supplier to ensure prospecific workplace conditions. Use and select a respirator according to the particulate, some of which may be in the form of glass shards established limits, use a NIOSH approved respirator with N95 conditions. Consult with your respirator supplier to ensure prospecific workplace conditions. Use and select a respirator according to the particular of the protection standard. ADDITIONAL PROTECTIVE MEASURES: and eye contact. Wash exposed skin areas thoroughly after he occupational exposure LIMITS:	were reuse. Avoid excessive inhalation of airborne dusts.	h goggles. skin areas. Consider or glass shards. n-respirable. Continuo ounts of respirable ep exposures below specific workplace ts listed in Section 3 a er applicable respirato avoid inhalation and suduct as a whole. For e table below.		
EXPOSURE CONTROLS/PERSONAL PROTECTION ENGINEERING CONTROLS: exposures below established limits. EYE PROTECTION GUIDELINES: wearing a light-weight, full body-covering protective clothing to particulate, some of which may be in the form of glass shards established limits, use a NIOSH approved respirator with N95 conditions. Consult with your respirator supplier to ensure prospecific workplace conditions. Use and select a respirator according to the conditions of the conditions of the conditions of the conditions. Washington and eye contact. Wash exposed skin areas thoroughly after hoccupational exposure limits of specific ingredients in this products.		h goggles. skin areas. Consider or glass shards. n-respirable. Continuo ounts of respirable ep exposures below specific workplace ts listed in Section 3 a er applicable respirato avoid inhalation and suduct as a whole. For e table below.		

Page 2 of 5

Last Revised: 03JAN22

ODOR: No odor.
ODOR THRESHOLD: No data available.

MELTING POINT / FREEZING POINT	No data available.
BOILING POINT (760mm/Hg):	No data available.
FLASH POINT:	No data available.
AUTO IGNITION TEMPERATURE	No data available.
LOWER EXPLOSIVE LIMIT (LEL)	No data available.
UPPER EXPLOSIVE LIMIT (UEL)	No data available.
VAPOR PRESSURE	No data available.
SPECIFIC GRAVITY/DENSITY (water = 1)	No data available.
BULK DENSITY	
VAPOR DENSITY (air = 1)	No data available.
EVAPORATIOIN RATE (Butyl Acetate = 1)	No data available.
WATER SOLUBILITY (% BY WT.)	No data available.
PARTITION COEFFICIENT, n-OCTANOL/WATER (log Pow)	No data available.
KINEMATIC VISCOSITY:	No data available.
DECOMPOSITION TEMPERATURE:	No data available.
% VOLATILE BY WEIGHT:	No data available.

10. STABILITY AND REACTIVITY

STABILITY: Product is stable at normal temperatures and pressures.

REACTIVITY/HAZARDOUS REACTIONS: No data available.

INCOMPATIBILITIES: No data available.

CONDITIONS TO AVOID: Avoid excessive heat.

DECOMPOSITION PRODUCTS: During a fire, smoke may contain carbon monoxide, carbon dioxide, and small amounts of other combustion products of undetermined composition and toxicity.

11. TOXICOLOGICAL AND HAZARD ENDPOINT INFORMATION

Component Name	CAS#	LD ₅₀ Oral	LD ₅₀ Dermal	LC ₅₀ Inhalation
Continuous filament, non-respirable, glass fiber	65997-17-3	No data available	No data available	No data available
Sizing	Trade Secret	No data available	No data available	No data available

ACUTE TOXICITY:	No specific toxicity data exists for this mixture. Classification is
based on acute toxicity estimation methods using ingredient data.	
	Not classified. Based on available data does not meet acute oral
toxicity criteria.	Not classified. Based on available data does not meet acute
dermal toxicity criteria.	Not classified. Dased off available data does flot fileet acute
	Not classified. Based on available data does not meet acute inhalation
toxicity criteria.	
SKIN COPPOSION / IPPITATION:	Not classified. Based on available data does not meet classification criteria.
SKIN CORROSION/ IRRITATION	Not classified. Dased off available data does flot fleet classification criteria.
SERIOUS EYE DAMAGE / IRRITATION:	Not classified. Based on available data does not meet classification criteria.
RESPIRATORY SENSITIZATION:	Not classified. Based on available data does not meet classification criteria.
SKIN SENSITIZATION:	Not classified. Based on available data does not meet classification criteria.
REPRODUCTIVE TOXICITY:	Not classified. Based on available data does not meet classification criteria.
MUTAGENICITY:	Not classified. Based on available data does not meet classification criteria.
CARCINOGENICITY:	Not classified. Based on available data does not meet classification criteria.

IARC Class 3 - Not classifiable as to its carcinogenicity to humans.

Animal Study: In 2000, the Institute of Occupational Medicine (IOM) in Scotland published the results of a long term inhalation study on animals exposed to fibers that were manufactured to be RESIRABLE. Animals were exposed to a very high concentration to these RESPIRABLE fibers (1022 fibers/cc for 5 hours/day, 7 days/week for 52 weeks). Exposure to these microfibers resulted in the development of fibrosis, lung cancer and mesothelioma as a result of the fibers being able to reach the lower regions of the lung.

Epidemiology Studies: Two major studies in the US (performed by the University of Pittsburgh) and Europe (performed by the International Agency for Research on Cancer) showed no increase in lung cancer or respiratory disease among people working in production facilities producing NON-RESPIRABLE continuous filament fiberglass. An additional smaller study performed in Canada also did not show an association between exposure of workers to fiberglass and respiratory cancer.

Page 3 of 5

ASPIRATION HAZARD: Not classified. Based on available data does not meet classification criteria.

There are no known long term health effects from long term use or contact with non-respirable continuous filament fibers as supplied in this product. Non-respirable fibers cannot reach the deep lung because they have diameters greater 3.5 micrometers. Fibers of this dimension cannot penetrate the lower regions of the lung and thus having no possibility of serious pulmonary damage. Instead, they deposit on the surfaces of the upper respiratory tract, nose and pharynx. These fibers are then cleared through normal physiological mechanisms.

12. ECOLOGICAL INFORMATION

the aquatic environment. Prevent release to the environment, sewers and natural waters.

Ingredient	CAS#	Ecotoxicity Classification
		Information
Continuous filament, non-respirable, glass fiber	65997-17-3	No data available
Sizing	Trade Secret	No data available

13. DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHOD: Evaluation of this product using RCRA criteria shows that it is not a hazardous waste, either by listing or characteristics, in its purchased form. It is the responsibility of the user to determine proper disposal methods.

Recycle, reclamation or landfilling may be preferred methods when conducted in accordance with federal, state and local regulations.

14. TRANSPORTATION INFORMATION

US DOT UN NUMBER: SHIPPING NAME: TECHNICAL SHIPPING NAME: HAZARD CLASS: PACKING GROUP:	. Not applicable Not applicable Not applicable.
CANADA TDG UN NUMBER: SHIPPING NAME: TECHNICAL SHIPPING NAME: HAZARD CLASS: PACKING GROUP:	. Not applicable Not applicable Not applicable.
ICAO/IATA UN NUMBER: SHIPPING NAME: TECHNICAL SHIPPING NAME: HAZARD CLASS: PACKING GROUP: MARINE POLLUTANT:	Not applicable.Not applicable.Not applicable.Not applicable.
IMDG UN NUMBER: SHIPPING NAME: TECHNICAL SHIPPING NAME: HAZARD CLASS: PACKING GROUP:	Not applicable.Not applicable.Not applicable.

Page 4 of 5

EmS Number: Not applicable.

MARINE POLLUTANT Not applicable.

15. REGULATORY INFORMATION

COUNTRY	INVENTORY LIST	STATUS
United States	TSCA	All ingredients are listed or otherwise compliant.
Europe	EINECS or ELINCS	All ingredients are listed or otherwise compliant.
Canada	CEPA (DSL/NDSL)	All ingredients are listed or otherwise compliant.
Australia	AICS	All ingredients are listed or otherwise compliant.
Japan	ENCS	All ingredients are listed or otherwise compliant.
South Korea	KECI	All ingredients are listed or otherwise compliant.
China	IECSC	All ingredients are listed or otherwise compliant.
Philippines	PICCS	All ingredients are listed or otherwise compliant.
New Zealand	NZIoC	All ingredients are listed or otherwise compliant.

Canada WHMIS Confidential Business Information (CBI):................ No data available.

US EPA SARA TITLE III Reporting and Notification Requirements:

STATE REGULATORY INFORMATION:

Chemicals listed below may be specifically regulated by individual states. For details on state regulatory requirements you should contact the appropriate state agency.

COMPONENT NAME /CAS NUMBER

No data available.

STATE CODE

16. OTHER INFORMATION

REASON FOR ISSUE:	. Approval date change.
PREPARED BY:	
SDS CONTACT:	
TITLE:	
APPROVAL DATE:	
SUPERSEDES DATE:	
SDS VERSION:	. 713, 729, 731, 732 and 733-2022a

OTHER HAZARD INFORMATION AND RATING SYSTEMS:

HMIS® RATING

HEALTH:	1
FLAMMABILITY:	0
PHYSICAL HAZARD:	0
PERSONAL PROTECTION:	

NFPA® 704 CODES



Approximate HMIS and NFPA Risk Ratings Legend:
0 = Low or None; 1 = Slight; 2 = Moderate; 3 = Serious; 4 = Severe

Information in this document is furnished without warranty, expressed or implied, except that it is accurate to the best knowledge of Gougeon Brothers, Inc. The data on this sheet is related only to the specific material designated herein. Gougeon Brothers, Inc. assumes no legal responsibility for use or reliance upon these data.

Page 5 of 5

Last Revised: 03JAN22